

Dietetic calcium bolus for reduction of the risk of milk fever

CaliBol is a fast releasing bolus, containing a combination of calcium chloride, calcium propionate and magnesium, which together effectively reduces the risk of milk fever after calving.

CaliBol contains:

- Calcium chloride optimizes the calcium blood level in the short term
- Calcium propionate supports calcium blood level for several hours
- Magnesium contributes to a higher level of mobilization of calcium in the blood after calving

CaliBol is covered by EU and US patent

Benefits and effect:

- Dissolves in the rumen within 25 minutes
- Provides 40 grams of easy absorbable calcium
- Provides sufficient calcium in the blood after calving
- Minimizes the risk of mistakes
 the cow gets the intended

Packaging:

- 4 pcs. per zip lock bag
- 20 pcs. per case
- 6 cases per box

Application:

1st bolus: Immediately after calving. 2nd bolus: 10-14 hours after calving. High-risk cows may be supplemented with CaliBol 24 hours before calving and 24 hours after calving It is recommended that a nutritional expert's opinion be sought before use.

CaliBol is

covered by

patent

After treatment at calcium infusion:

1st bolus: 2 hours after calcium infusion 2nd bolus: 12 hours after calcium infusion

Consumption:

2-4 boluses per cow in the period around calving



Office: Odinsvej 23 · Production: Odinsvej 25 · DK-8722 Hedensted · Denmark Phone: +45 7674 1200 · info@r2agro.com · www.r2agro.com

